



## 200mm 150mm 110mm Stainless Steel Flanged Ventilation Butterfly Valve For Water Line

Our Product Introduction

for more products please visit us on [fbballvalve.com](http://fbballvalve.com)

### Basic Information

- Place of Origin: China
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
- Model Number: 1/8 inch 36 inch
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Payment Terms: L/C, D/A, D/P, T/T, MoneyGram, Western Union
- Supply Ability: 100-1000 set per week



### Product Specification

- Product Name: Stainless Steel Flanged Ventilated Butterfly Valve
- Valve Type: Ventilated Butterfly Valve
- Application: Ventilation
- Actuator Type: Manual/Electric/Pneumatic
- Connection Type: Flange
- Flow Characteristics: Linear/Equal Percentage
- Flow Direction: Bidirectional/Unidirectional
- Pressure Rating: 150-600 PSI
- Seal Material: EPDM/PTFE
- Temperature Range: -20 ~+450
- Valve Body: One-piece
- Valve Material: Stainless Steel
- Valve Size: 2-48 Inch
- Highlight: 110mm butterfly valve, 150mm butterfly valve, 200mm butterfly valve



### More Images



## Product Description

### FABIA Stainless steel flanged ventilated butterfly valve

#### 1. Description:

Characteristics of industrial special butterfly valve can withstand high temperature, the applicable pressure range is also high, the nominal diameter of the valve is large, the valve body is made of carbon steel, and the sealing ring of the valve plate is made of metal ring instead of rubber ring.

Large high temperature butterfly valve is made of steel plate welding, mainly used in high temperature medium smoke duct and gas pipeline.

#### 2. Specification:

FABIA Valve Parameter List	
Valve type:	Stainless steel flanged ventilated butterfly valve
Size:	1/8 inch 18 inch
Material:	WCB,GGG40,FCD,SS304,SS304L,SS316,SS316L,ST37(Q235B),S410
Connection type:	Butt clamp/flange connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN10,0 100Mpa
Temperature:	-40 450
Model:	FB-DB.....

#### 3. Features:

Easy to open and close, labor-saving, small fluid resistance, can be often operated.

Simple structure, small size, light weight.

Mud can be transported, and the liquid accumulation in the pipe mouth is minimal.

Under low pressure, good sealing can be achieved.

Good adjustment performance.



+861891324/051/+8618912658215/+86182601/8084 sales@tabia-china.com fbballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park