



## 4 Inch Electrically Operated Butterfly Valve Control Flanged Ventilated

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
- Model Number: 1/8 inch 36 inch
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Payment Terms: L/C, D/A, D/P, T/T, MoneyGram, Western Union
- Supply Ability: 100-1000 set per week



### Product Specification

- Product Name: Electric Flanged Ventilated Butterfly Valve
- Valve Type: Ventilated Butterfly Valve
- Valve Material: Stainless Steel
- Valve Application: Ventilation
- Valve Actuator: Electric
- Valve Connection: Flange
- Valve Sealing: Metal Seal
- Valve Standard: API/DIN/GB/JIS
- Valve Certification: ISO/CE/API
- Valve Flow Rate: 0.5-10m³/h
- Valve Pressure: 1.6MPa
- Valve Size: 2-18 Inch
- Valve Temperature: -20-180
- Highlight: electrically operated butterfly valve, 4 inch electric butterfly valve,



### More Images



for more products please visit us on [fbballvalve.com](http://fbballvalve.com)

## Product Description

### Electric flanged ventilated butterfly valve

#### 1. Description:

Electric flange type ventilation butterfly valve is mainly used in gold, chemical, building materials, power stations, glass and other industries in the ventilation, environmental protection engineering dust containing cold air or hot air gas pipeline, as a gas medium to adjust the flow or cut off devices.

Suitable for building materials, metallurgy, mining, electric power and other production process medium temperature  $\leq 300$  nominal pressure of 0.1Mpa on the pipeline, used to connect, open and close or adjust the medium quality.

#### 2. Specification:

FABIA Valve Parameter List	
Valve type:	Electric flanged ventilated butterfly valve
Size:	1/8 inch 18 inch
Material:	WCB,GGG40,FCD,SS304,SS304L,SS316,SS316L,ST37(Q235B),SS410
Connection type:	Butt /Flange Connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN10,0 100Mpa
Temperature:	-40 450
Model:	FB-DB.....

#### 3. Features:

Electric flange type ventilation butterfly valve is designed and manufactured with a new structural form of welding between medium line dish plate and short structure steel plate to avoid the influence of high temperature expansion.

No connecting rod, bolts, etc., reliable work, long service life. Can be installed in multiple stations, not affected by the flow of media.

Novel design, reasonable, unique structure, light weight, fast opening and closing.

Electric flange type ventilation butterfly valve torque is small, easy to operate, labor-saving dexterity.

Electric flange type ventilation butterfly valve uses suitable materials to meet the low, medium and high different medium temperatures and corrosive media.





**Fabia Valve Industry (Suzhou) Co., Ltd.**

+8618913247051/+8618912658215/+8618260178084

sales@fabia-china.com

fbballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park