



2 Way High Pressure Ball Valves Internal Tooth

Our Product Introduction

for more products please visit us on fbballvalve.com

Basic Information

- Place of Origin: China
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
- Model Number: 1/8 inch 36 inch
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Payment Terms: L/C, D/A, D/P, T/T, MoneyGram, Western Union
- Supply Ability: 100-1000 set per week



Product Specification

- Product Name: Electric High Pressure Ball Valve
- Valve Type: High Pressure Ball Valve
- Pressure Rating: High Pressure
- Material: Stainless Steel
- Connection: Threaded
- Operation: Electric
- Seal Material: PTFE, EPDM
- Application: Oil, Gas, Water
- Pressure Range: 0-10MPa
- Size: 1/2-8 Inch
- Pressure Test: API 598
- Certificate: ISO 9001, API
- Temperature Range: -20°C To +120°C
- Surface Treatment: Sand Blasting, Mirror Polishing
- Highlight: 2 way high pressure ball valves.



More Images



Product Description

FABIA Electric High Pressure Two Way Internal Tooth Ball Valve

1. Description:

Driver of the electric high pressure ball valve and the valve are connected with threads, and after the valve is installed, the driver is installed.

On-site assembly, flexible wiring, convenient, driver's plane design can be installed close to the wall, occupy a small space, the product is reliable and durable, low noise,

Can work reliably in the high temperature and high humidity environment that often occurs in the concealed fan coil unit.

2. Specification:

FABIA Valve Parameter List	
Valve type:	Electric High Pressure Two Way Internal Tooth Ball Valve
Size:	1/8 inch 8 inch
Material:	WCB,Q235B,2507,A105,CF8(304),CF8M(316),CF3M(316L),CF3(304L),PVC,ZG1Cr18Ni9Ti,ZG1Cr18Ni12Mo2Ti
Connection type:	Welded connection/flange connection/thread connection/clamp connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN1.0 PN64,ANSI CLASS 150-900,JIS10-20K
Temperature:	-196 540
Model:	FB-Q.....

3. Features:

External leakage is blocked, the internal leakage is easy to control, and the use is safe.


Electric two-way ball valve itself has a simple structure and low price,

System is simple, then the computer, low price.

Action express, small power, lightweight appearance.

Adjustment accuracy is limited, the applicable medium is limited.





FABIA
INTERNATIONAL Fabia Valve Industry (Suzhou) Co., Ltd.

+8618913247051/+8618912658215/+8618260178084

sales@fabia-china.com

fbballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park