Pneumatic Stainless steel Flange Butterfly Valve Industry Complete **Specifications Ship**

Basic Information

. Place of Origin: China **FABIA** . Brand Name:

ISO9001,CE,CCS,DNV · Certification: Model Number: 1/8 inch 36 inch

• Minimum Order Quantity: 1 set • Price: Negotiable

 Packaging Details: Cartons/Wooden cases • Delivery Time: 15-30 work days

Payment Terms: L/C,D/A,D/P,T/T,MoneyGram,Western Union

. Supply Ability: 100-1000 set per week



Product Specification

• Product Name: Pneumatic Butterfly Valve

• Valve Connection Type:

Stainless Steel • Material:

EPDM Seal: -30 ~+150 • Valve Temperature: • Valve Pressure: PN16 Valve Media: Water/Oil/Gas

1/2-36

Port Size:



More Images







Product Description

Pneumatic Stainless steel Flange Butterfly Valve

1. Description:

Pneumatic Butterfly Valve is a versatile and reliable valve used to regulate the flow of various mediums in pipelines.

Designed with a one-piece structure, making it compact and easy to install.

Valve is commonly used in industrial, chemical, and water treatment applications.

2. Specification:

| FABIA Valve Parameter List | |
|----------------------------|---|
| Valve type: | Pneumatic Butterfly Valve |
| Size: | 2 inch 36 inch |
| Material: | WCB,GGG40,FCD,SS304,SS304L,SS316,SS316L,ST37(Q235B),S S410 |
| Connection type: | Butt Clamp/Flange Connection |
| Driving model: | Manual/Worm gear drive/Pneumatic/Electric |
| Pressure rating: | PN0.1 PN16 |
| Temperature: | -40 650 |
| Model: | FB-D |

3. Features:

High efficiency: The pneumatic control clamp butterfly valve has the characteristics of fast switching speed and rapid response, which can realize the control of fluid in a short time and improve production efficiency.

Reliable: The sealing technology and materials used in the pneumatic adjustment of the clamping butterfly valve have good sealing performance, which can effectively prevent media leakage and ensure the safe operation of the system.

Energy saving: pneumatic control of the clamp butterfly valve using pneumatic actuator control, compared with traditional manual operation, can reduce labor costs and energy consumption, to achieve energy saving effect.

Strong adaptability: the pneumatic control clamp butterfly valve can adapt to various working conditions and media, with good corrosion resistance and high temperature resistance, widely used in chemical, petroleum, electric power and other industries.



Fabia Valve Industry (Suzhou) Co., Ltd.

+8618913247051/+8618912658215/+8618260178084

sales@fabia-china.com

fbballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park