



Hard Sealed Pneumatic Actuator Operated Butterfly Valve Small Fluid Resistance Source manufacturer

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
- Model Number: 1/8 inch 36 inch
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Payment Terms: L/C,D/A,D/P,T/T,MoneyGram,Western Union
- Supply Ability: 100-1000 set per week



Product Specification

- Product Name: Pneumatic Clamp Butterfly Valve
- Valve Type: Butterfly
- Material: Carbon Steel
- Valve Actuation: Pneumatic
- Valve Connection Type: Clamp Connection
- Butterfly Valve Diameter: DN15-600
- Valve Application: Water/Oil/Gas
- Valve Pressure: PN10-16
- Valve Seal: PTFE/EPDM
- Valve Temperature: -30 ~+150



More Images



for more products please visit us on fbballvalve.com

Product Description

FABIA Hard Sealed Pneumatic Butterfly Valve Small Fluid Resistance

1. Description:

Butterfly valve is suitable for food. Medicine. Petrochemicals. A power plant. A steel mill. Industrial environmental protection water treatment and high-rise buildings.

Best device for regulating flow and cutting off fluid on the supply and drainage pipe.

2. Specification:

FABIA Valve Parameter List	
Valve type:	Small Fluid Resistance Hard Sealed Pneumatic Butterfly Valve
Size:	2 inch 36 inch
Material:	WCB,GGG40,FCD,SS304,SS304L,SS316,SS316L,ST37(Q235B),SS410
Connection type:	Butt Clamp/Flange Connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN0.1 PN16
Temperature:	-40 1000
Model:	FB-D.....

3. Features:

Small fluid resistance, large effective flow area when the large diameter pneumatic disc valve is fully opened, opening and closing quickly and labor saving, the disc can be rotated 90 angles to complete the opening and closing,

Because the medium force of the disc hand on both sides of the rotating shaft is close to equal, and the torque generated is opposite, so the opening and closing torque is small, and a good seal can be achieved under low pressure.

Sealing materials of the disc valve are diacene rubber , fluororubber , food With rubber, lined with tetrafluoroethylene, the sealing performance is good, and the hard seal disc valve is a soft and hard laminated metal sheet with the heavy advantages of metal hard seal and elastic seal, and has excellent sealing performance at low temperature.





Fabia Valve Industry (Suzhou) Co., Ltd.



+8618913247051/+8618912658215/+8618260178084



sales@fabia-china.com



fbballvalve.com

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park