



## Pneumatic Regulating Flange Butterfly Valve Easy to operate Wide range of use

Our Product Introduction

for more products please visit us on [fbballvalve.com](http://fbballvalve.com)

### Basic Information

- Place of Origin: China
- Brand Name: FABIA
- Certification: ISO9001,CE,CCS,DNV
- Model Number: 1/8 inch 36 inch
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Cartons/Wooden cases
- Delivery Time: 15-30 work days
- Payment Terms: L/C,D/A,D/P,T/T,MoneyGram,Western Union
- Supply Ability: 100-1000 set per week



### Product Specification

- Product Name: Pneumatic Flange Butterfly Valve
- Valve Type: Butterfly
- Material: Stainless Steel
- Valve Operation: Pneumatic
- Valve Connection: Flange
- Valve Application: Petroleum, Chemical, Power, Etc.
- Valve Sealing: Flange
- Valve Pressure: PN16
- Valve Temperature: -40 ~+135



### More Images



## Product Description

### FABIA Pneumatic Regulating Flange Butterfly Valve

#### 1. Description:

Pneumatic flange extension control valve is mainly used in petrochemical, metallurgy, electric power, light industry and other industries of different types, different nature of the medium pipeline and equipment.

#### 2. Specification:

FABIA Valve Parameter List	
Valve type:	Pneumatic Control Flange Butterfly Valve
Size:	2 inch 36 inch
Material:	WCB,GGG40,FCD,SS304,SS304L,SS316,SS316L,ST37(Q235B),S410
Connection type:	Butt Clamp/Flange Connection
Driving model:	Manual/Worm gear drive/Pneumatic/Electric
Pressure rating:	PN0.1 PN16
Temperature:	-40 1000
Model:	FB-D.....

#### 3. Features:

Main characteristics of the pneumatic flange adjustment butterfly valve are high control accuracy.

Fast adjustment speed, flexible reversing, low noise, easy maintenance, etc.

Also has good applicability to pipelines and equipment under high temperature, high pressure, corrosion and other harsh conditions.

Traditional valves require manual control or the use of equipment such as motors during use.

While pneumatic flanged butterfly valves can automatically adjust the flow by connecting to the air pressure control device.





**Fabia Valve Industry (Suzhou) Co., Ltd.**



+8618913247051/+8618912658215/+8618260178084



[sales@fabia-china.com](mailto:sales@fabia-china.com)



[fbballvalve.com](http://fbballvalve.com)

Room 1305, Building 3, Jundi Business Plaza, No.3, Weihua Road, Suzhou Industrial Park